

Kief-Pak LLC - Permit 2025-R-2123166
 Order No.: OFLNFS0825-0008494
 Meets Inspection Requirements - 18678 SW 105th Place
 Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
 Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
 Batch#: H2508
 Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report Created: 08/28/2025 16:06
MMTC Information
 Cultivation Facility: , Processing Facility:

Dark spot Corrector
 Topical, Lotion




Results

180 mg/unit CBD	96.5 mg/unit CBG
180 mg/unit Total CBD	6.42 mg/unit Total THC
300 mg/unit Total Cannabinoids	0.928% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Tested	Foreign Matter Pass	Terpenes Tested
Contaminant Load Pass	Residual Solvents Pass	Mycotoxins Pass
Heavy Metals Pass	Pesticides Pass	Label Claim Not Tested

Dominant Terpenes



K'hari Leno
 Sr. Lab Supervisor



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508
Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06
MMTC Information
Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Cannabinoids

Sample Prep
Tech: 3358, 4509
SOP: SOP 801
Batch Number: WCNDFL-FL0825-0004530
Batch Date: 08/25/2025 11:42

Sample Analysis
Date/Time: 08/27/2025 10:58
Tech: 4509
SOP: SOP 801
Instrument: HPLC - 3013
Final Weight: 0.206 g
Dilution Factor for Sample: 40

Tested

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.00194	0.09723	< LOQ	< LOQ	< LOQ
CBDa	0.01478	0.09723	ND	ND	ND
CBGa	0.00731	0.09723	ND	ND	ND
CBG	0.01591	0.09723	0.261	2.61	96.5
CBD	0.02703	0.09723	0.487	4.87	180
THCV	0.00630	0.09723	ND	ND	ND
THCVa	0.00525	0.09723	ND	ND	ND
CBN	0.00286	0.09723	ND	ND	ND
D9-THC	0.01408	0.09723	0.0174	0.174	6.42
D8-THC	0.01635	0.09723	ND	ND	ND
CBC	0.01052	0.09723	0.0463	0.463	17.1
THCa	0.01606	0.09723	ND	ND	ND
CBCa	0.02666	0.09723	ND	ND	ND
Total CBD			0.487	4.87	180
Total THC			0.0174	0.174	6.42
Total Cannabinoids			0.811	8.12	300



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508

Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06

MMTC Information
Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Microbials

Sample Prep

Tech: 4506
SOP: SOP 406
Batch Number: WINCFL-FL0826-0002949
Batch Date: 08/26/2025 11:44

Sample Analysis

Date/Time: 08/27/2025 17:52
Tech: 4302
SOP: SOP 406
Instrument: AriaMx Real-Time PCR System - 2958 / Revco RDE Series Ultra-Low Temperature Freezer - 2876 / Isotemp Undercounter I
Final Weight: 2.041 g
Dilution Factor for Sample: 10

Pass

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	100,000	ND	Passed
Salmonella	1	Absence	Passed
Aspergillus Flavus	1	Absence	Passed
Aspergillus Fumigatus	1	Absence	Passed
Aspergillus Niger	1	Absence	Passed
Aspergillus Terreus	1	Absence	Passed
STEC E. Coli	1	Absence	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508
Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06
MMTC Information
Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Water Activity

Sample Prep
Tech: 4302
SOP: SOP 407
Batch Number: WMWAF-FL0825-0004701
Batch Date: 08/25/2025 17:28

Sample Analysis
Date/Time: 08/25/2025 19:18
Tech: 4509
SOP: SOP 407
Instrument:
Final Weight: 1.021 g

Tested

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	0.92	Tested



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508

Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06

MMTC Information

Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Foreign Matter
Sample Prep/Analysis
Tech: 4302
SOP: SOP 409
Batch Date: 08/25/2025 12:47
Analyte

Pass

FM

Result
Absent



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508
Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06
MMTC Information
Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Terpenes

Sample Prep
Tech: 3358, 4509
SOP: SOP 419
Batch Number: WLTRFL-FL0825-0004271
Batch Date: 08/25/2025 16:09

Sample Analysis
Date/Time: 08/28/2025 13:12
Tech: 4509
SOP: SOP 419
Instrument: GC-FID - 3010
Final Weight: 0.524 g
Dilution Factor for Sample: 10

Tested

Analyte	LOD (%)	LOQ (%)	%
Total Terpenes			0.928
Limonene	0.001	0.003	0.339
Terpinolene	0.001	0.003	0.301
Linalool	0.001	0.003	0.202
b-Caryophyllene	0.001	0.003	0.0180
a-Pinene	0.001	0.003	0.0110
b-Myrcene	0.001	0.003	0.00900
g-Terpinene	0.001	0.003	0.00800
Camphor	0.001	0.003	0.00800
Geranyl Acetate	0.001	0.003	0.00700
a-Bisabolol	0.001	0.003	0.00700
DL-Menthol	0.001	0.003	0.00600
cis-b-Ocimene	0.001	0.003	0.00500
Terpineol	0.001	0.003	0.00400
trans-b-Ocimene	0.001	0.003	0.00400
a-Phellandrene	0.001	0.003	0.00300
Camphene	0.001	0.003	< LOQ
b-Pinene	0.001	0.003	< LOQ
d-3-Carene	0.001	0.003	ND
a-Terpinene	0.001	0.003	ND
Eucalyptol	0.001	0.003	ND
Fenchol	0.001	0.003	ND
Sabinene Hydrate	0.001	0.003	ND
Fenchone	0.001	0.003	ND
Isopulegol	0.001	0.003	ND
Isoborneol	0.001	0.003	ND
Borneol	0.001	0.003	< LOQ
Nerol	0.001	0.003	ND
Pulegone	0.001	0.003	ND
Geraniol	0.001	0.003	< LOQ
a-Cedrene	0.001	0.003	ND
a-Humulene	0.001	0.003	< LOQ
Valencene	0.001	0.003	ND
cis-Nerolidol	0.001	0.003	ND
trans-Nerolidol	0.001	0.003	ND
Guaiol	0.001	0.003	< LOQ
Caryophyllene Oxide	0.001	0.003	< LOQ
Cedrol	0.001	0.003	ND



K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166

Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411

Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508

Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06

MMTC Information

Cultivation Facility: , Processing Facility:

Dark spot Corrector

Topical, Lotion



Contaminant Load

Sample Prep/Analysis

Tech: 4509
SOP: SOP 424 & SOP 428
Batch Date: 08/25/2025 12:47

Analyte

Pass

Analyte	Limit (ppm)	ppm	Status
Total Contaminant Load	30	0.00	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508

Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06

MMTC Information
Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Residual Solvents

Sample Prep
Tech: 3358, 4509
SOP: SOP 405
Batch Number: WRSVFL-FL0825-0003550
Batch Date: 08/25/2025 18:58

Sample Analysis
Date/Time: 08/27/2025 10:22
Tech: 4509
SOP: SOP 405
Instrument: GCMS-HS - 3015
Final Weight: 0.102 g
Dilution Factor for Sample: 1

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	ND	Passed
Acetone	2.0	20.0	750.0	ND	Passed
Acetonitrile	2.0	20.0	60.0	ND	Passed
Benzene	0.2	0.4	1.0	ND	Passed
Butane	10.0	20.0	5,000.0	ND	Passed
Chloroform	0.2	0.4	2.0	ND	Passed
Ethanol	20.0	40.0	5,000.0	< LOQ	Passed
Ethyl Acetate	2.0	20.0	400.0	ND	Passed
Ethyl Ether	20.0	40.0	500.0	ND	Passed
Ethylene Oxide	0.7	2.0	5.0	ND	Passed
Heptane	20.0	40.0	5,000.0	ND	Passed
Hexanes	4.0	8.0	250.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	500.0	71.3	Passed
Methanol	20.0	40.0	250.0	ND	Passed
Methylene Chloride	20.0	40.0	125.0	ND	Passed
Pentanes	6.7	13.3	750.0	ND	Passed
Propane	2.0	20.0	5,000.0	ND	Passed
Toluene	2.0	20.0	150.0	ND	Passed
Trichloroethylene	1.0	2.0	25.0	ND	Passed
Total Xylenes	5.0	10.0	150.0	ND	Passed
1,1-Dichloroethane	0.7	2.0	8.0	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508

Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06

MMTC Information

Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Mycotoxins

Sample Prep

Tech: 3358
SOP: SOP 424
Batch Number: WPMCFL-FL0825-0003400
Batch Date: 08/25/2025 16:10

Sample Analysis

Date/Time: 08/28/2025 16:04
Tech: 4509
SOP: SOP 424
Instrument: LC-MS/MS - 2894
Final Weight: 0.104 g
Dilution Factor for Sample: 2.5

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.921	9.606	20.000	ND	Passed
B2	1.921	9.606	20.000	ND	Passed
G1	1.921	9.606	20.000	ND	Passed
G2	1.921	9.606	20.000	ND	Passed
Ochratoxin A	1.921	9.606	20.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508

Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06

MMTC Information

Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Heavy Metals

Sample Prep

Tech: 4510
SOP: SOP 428
Batch Number: WMTLFL-FL0826-0003561
Batch Date: 08/26/2025 19:50

Sample Analysis

Date/Time: 08/28/2025 11:03
Tech: 4509
SOP: SOP 428
Instrument: ICP-MS - 2837
Final Weight: 0.212 g
Dilution Factor for Sample: 60

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	18.927	70.622	1,500.000	ND	Passed
Cadmium	18.927	70.622	500.000	ND	Passed
Mercury	18.927	70.622	3,000.000	ND	Passed
Lead	18.927	70.622	500.000	< LOQ	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508
Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06
MMTC Information
Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Pesticides

Sample Prep
Tech: 3358, 4509
SOP: SOP 424
Batch Number: WPMCFL-FL0825-0003400
Batch Date: 08/25/2025 16:10

Sample Analysis
Date/Time: 08/28/2025 16:04
Tech: 4509
SOP: SOP 424
Instrument: LC-MS/MS - 2894 / GC-MS/MS - 3005
Final Weight: 0.622 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.021	0.300	ND	Passed
Acephate	0.010	0.024	3.000	ND	Passed
Acequinocyl	0.010	0.024	2.000	ND	Passed
Acetamiprid	0.002	0.010	3.000	ND	Passed
Aldicarb	0.005	0.019	0.100	ND	Passed
Azoxystrobin	0.002	0.010	3.000	ND	Passed
Bifenazate	0.002	0.010	3.000	ND	Passed
Bifenthrin	0.002	0.024	0.500	ND	Passed
Boscalid	0.010	0.048	3.000	ND	Passed
Carbaryl	0.005	0.010	0.500	ND	Passed
Carbofuran	0.002	0.010	0.100	ND	Passed
Chlorantraniliprole	0.002	0.010	3.000	ND	Passed
Chlorpyrifos	0.010	0.024	0.100	ND	Passed
Clofentezine	0.010	0.024	0.500	ND	Passed
Coumaphos	0.010	0.050	0.100	ND	Passed
Cyfluthrin	0.010	0.100	1.000	0.00	Passed
Cypermethrin	0.010	0.100	1.000	0.00	Passed
Daminozide	0.010	0.024	0.100	ND	Passed
Diazinon	0.002	0.010	0.200	ND	Passed
Dichlorvos	0.010	0.024	0.100	ND	Passed
Dimethoate	0.002	0.010	0.100	ND	Passed
Dimethomorph	0.003	0.011	3.000	ND	Passed
Ethoprophos	0.002	0.010	0.100	ND	Passed
Etofenprox	0.002	0.010	0.100	ND	Passed
Etoxazole	0.002	0.010	1.500	ND	Passed
Fenhexamid	0.010	0.048	3.000	ND	Passed
Fenoxycarb	0.002	0.010	0.100	ND	Passed
Fenpyroximate	0.005	0.019	2.000	ND	Passed
Fipronil	0.002	0.010	0.100	ND	Passed
Fonicamid	0.005	0.019	2.000	ND	Passed
Fludioxonil	0.005	0.010	3.000	ND	Passed
Hexythiazox	0.005	0.019	2.000	ND	Passed
Imazalil	0.010	0.024	0.100	ND	Passed
Imidacloprid	0.024	0.120	3.000	ND	Passed
Kresoxim Methyl	0.005	0.010	1.000	ND	Passed
Malathion	0.019	0.048	2.000	ND	Passed
Mevinphos	0.009	0.022	0.100	ND	Passed
Metalaxyl	0.002	0.010	3.000	ND	Passed
Methiocarb	0.002	0.010	0.100	ND	Passed
Methomyl	0.002	0.010	0.100	ND	Passed
Myclobutanil	0.005	0.024	3.000	ND	Passed
Naled	0.019	0.024	0.500	ND	Passed
Oxamyl	0.002	0.010	0.500	ND	Passed
Paclbutrazol	0.002	0.010	0.100	ND	Passed
Permethrin	0.010	0.024	1.000	ND	Passed
Phosmet	0.005	0.024	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.010	3.000	ND	Passed
Prallethrin	0.010	0.024	0.400	ND	Passed
Propiconazole	0.010	0.024	1.000	ND	Passed
Propoxur	0.002	0.010	0.100	ND	Passed
Pyrethrins	0.032	0.064	1.000	ND	Passed
Pyridaben	0.002	0.010	3.000	ND	Passed
Spinetoram	0.007	0.017	3.000	ND	Passed
Spinosyn AD	0.010	0.041	3.000	ND	Passed
Spiromesifen	0.002	0.010	3.000	ND	Passed
Spirotetramat	0.005	0.024	3.000	ND	Passed



K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

Compliance

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie,
Florida
8448228522
kharil@actlab.com

Kief-Pak LLC - Permit 2025-R-
2123166
Order No.: OFLNFS0825-0008494
Meets Inspection Requirements - 18678 SW
105th Place
Cutler Bay, Florida, 33157

Sample: SFLNFS0825-TLOT-0002411
Unit Weight: 37.0000g , Sample Size for Testing: 1.0000 Units
Batch#: H2508

Date Sampled: 08/25/2025 12:46, Sample Received: 08/25/2025 12:47 , Report
Created: 08/28/2025 16:06

MMTC Information

Cultivation Facility: , Processing Facility:

Dark spot Corrector
Topical, Lotion



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Spiroxamine	0.002	0.010	0.100	ND	Passed
Tebuconazole	0.010	0.024	1.000	ND	Passed
Thiacloprid	0.002	0.010	0.100	ND	Passed
Thiamethoxam	0.002	0.010	1.000	ND	Passed
Trifloxystrobin	0.002	0.010	3.000	ND	Passed
Captan	0.010	0.100	3.000	0.00	Passed
Methyl Parathion	0.010	0.020	0.100	0.00	Passed
Chlordane	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	0.010	0.020	0.100	0.00	Passed
Chloromequat Chloride	0.002	0.010	3.000	ND	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	ND	Passed



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.